

Certificate of Compliance

Certificate Number:

UL-US-2586130-0

Report Reference:

EX29662-20250923

Issue Date:

2025-09-29

Issued to:

ARVO CONTROLS, SOCIEDAD LIMITADA Calle Cami De L'Alquerieta, Parcela R-114a Massanassa Valencia R-114A Spain

This certificate confirms that representative samples of:

QYZS - Pump Controllers, Fire

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 508, 18th Ed., Issue Date: 2018-03-30, Revision Date: 2021-07-08, UL 218, Edition: 3, Issue Date: 2015-9-16, Revision Date: 2020-9-10

Additional Information:

See UL Product iQ® at https://ig.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



© 2025 UL LLC. All rights reserved. Form-ULID-019496 – ver 1.0

David Piecuch

UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

Page 1 of 2

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-2586130-0 Report reference EX29662-20250923

Date 2025-09-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Fire Pump controllers

Model(s): AE followed by A or Y, followed by 10, 15, 20, 25, 30, 40, 50, 60, 75, 100, 125, 150, 200, 250, or 300, followed by 230, 400, or 460, followed by 3, followed by 50 or 60.

